

VAUGHAN SERVICE APPLICATION

CURB CUTS AND DRIVEWAY WIDENING

PROPERTY OWNER'S NAME:	RECEIVED BY:
APPLICANT'S NAME:	TELEPHONE NUMBER:
MAILING ADDRESS:	FAX NUMBER:
EMAIL ADDRESS:	ALTERNATIVE CONTACT INFO:

SERVICE BEING REQUESTED:

Service: HST not applicable	Size	FOR OFF	ICE USE ONLY
Culvert Installation		2310120.3574	\$
Curb & Gutter Maintenance		2310170.3574	\$
Curb Cut Length		2310170.3574	\$
Sewer Connection: Sanitary		2350756.3574	\$
Sewer Connection: Storm		2360820.3574	\$
Water Connection: Sprinkler		2340680.3574	\$
Water Meters		2340680.3574	\$
Temporary Water		2340651.3556.04	\$
Site Dewatering Service Discharge Fee		2340001.3586.02	\$
 Sanitary Fee Appliable Storm – No charge (tracking purposes) 			
Other:			\$
		2350756.3574	
			\$
SERVICE: 13% HST Applicable	SIZE		
Disconnection Fee: Sanitary		SUB-TOTAL— NO HST (A)	\$
Disconnection Fee: Storm		ACCOUNT#	ESTIMATED COST
Disconnection Fee: Water		2350756.3574	\$
Streetlight Relocations		2360820.3574	
Other:		2340680.3574	
		2310225.3574	
		SUB-TOTAL- HST (B)	
		HST 1000.2291.10 (C)	
		TOTAL (A+B+C)	


The costs indicated on the Service Application are estimates based upon Engineering drawings and drawings provided by the Owner/Applicant. If the measurements, quantities, ground conditions or materials change or unforeseen circumstances be encountered, these costs will be incurred by the Owner/Applicant upon completion of the project. Due to Covid-19, curb cut, driveway and culvert permit applications are taking 4-6 weeks from the time we receive the application.

The application along with a copy of your survey/sketch showing the proposed and existing driveway must be mailed to, City of Vaughan, Service Application, 2800 Rutherford Road. Vaughan, ON. L4K 2NP. Click the link below for a sample sketch of what should be submitted along with your application. If you do not have a survey, please contact the City of Vaughan's Building Standards Department at 905-832-8510 and they can provide one to you.

Click this LINK or https://www.vaughan.ca/services/residential/transportation/roads/curb_cuts_and_driveway_widening/thumbnails/Curb%20Cut%20and%20Driveway%20Widening.pdf



Application Process & Information



Curb Cut & Driveway

WIDENING

Working for YOU!


Tel: 905-832-8562 Fax: 905-303-2005

City of Vaughan Public Works Department 2800 Rutherford Road

For more information visit vaughan.ca/publicworks

Public Works





 If your file is approved: (<i>fees are subject to change</i>) Driveway widening permits are \$130.00 Curb cut fees are \$330.00 for the first 4 meters (including the driveway widening permit). Each additional meter is \$40.00. Curb cuts are usually performed within 2 weeks following your payment. If your street is not assumed, the City of Vaughan will require a letter from your developer allowing us to proceed with the proposed curb cut. Mote: Residents who widen their driveways without approval are subject to fines and reinstatement costs. 	Lot FrontagesDriveway6.0 - 6.99 m (1)3.5 m7.0 - 8.99 m (1)3.75 m7.0 - 8.99 m (1)3.75 m9.0 - 11.99 m (1)6.00 m12.0 m and greater (2)9.00 m driveway only(1) The lot frontage for lots between 6.0 - 11.99 metersshall be comprised of a minimum of 33% landscaped front or exterior side yard. A minimum of 60% of the minimum landscaped front or exterior side yard shall be soft landscaping.(2) The lot frontage for lots 12.0 meters and greater shall be comprised of a minimum of 50% landscaped front or exterior side yard and a minimum diadscaped front or exterior side yard shall be soft landscaping.(2) The lot frontage for lots 12.0 meters and greater shall be comprised of a minimum of 50% landscaped front or exterior side yard shall be soft landscaping.(1) Moter away from any street furniture or physical (1.0) meter away from any street furniture or physical	r only - 11.99 meters ndscaped front the minimum shall be soft age afront or the minimum shall be soft istance of one re or physical o poles, light
 subject to change) ay widening permits are \$130.00 ut fees are \$330.00 for the first 4 meters ling the driveway widening permit). dditional meter is \$40.00. uts are usually performed within 2 weeks ng your payment. street is not assumed, the City of Vaughan quire a letter from your developer allowing us eved with the proposed curb cut. v 1-88 Extracts 	 6.0 – 6.99 m (1) 3.5 m 7.0 – 8.99 m (1) 3.75 m 9.0 – 11.99 m (1) 6.00 m 9.0 – 11.99 m (1) 6.00 m driveway 12.0 m and greater (2) 9.00 m driveway (1) The lot frontage for lots between 6.0 – shall be comprised of a minimum of 33% lan or exterior side yard. A minimum of 60% of landscaping. (2) The lot frontage for lots 12.0 meters and be comprised of a minimum of 50% landsceries of a minimum of 60% of landscaping. (2) The lot front or exterior side yard and scaping. (2) The lot frontage for lots 12.0 meters and be comprised of a minimum of 60% of landsceries of a minimum of 60% of landscent or exterior side yard and a minimum or 60% or 60% of landscent or exterior side yard and a minimum or 60% or 60% of landscent or exterior side yard and a minimum or 60% or 60% of landscent or exterior side yard and a minimum or 60% or 60% of landscent or exterior side yard and a minimum or 60% or 60% or 6	r only - 11.99 meters adscaped front the minimum shall be soft caped front or the minimum shall be soft istance of one re or physical o poles, light
ay widening permits are \$130.00 ut fees are \$330.00 for the first 4 meters ling the driveway widening permit). dditional meter is \$40.00. uts are usually performed within 2 weeks ng your payment. •street is not assumed, the City of Vaughan quire a letter from your developer allowing us ceed with the proposed curb cut. ered with the proposed curb cut. <i>are subject to fines and reinstatement costs.</i> <i>V</i> 1-88 Extracts	 7.0 – 8.99 m (1) 3.75 m 9.0 – 11.99 m (1) 6.00 m 9.0 – 11.99 m (1) 6.00 m driveway 12.0 m and greater (2) 9.00 m driveway (1) The lot frontage for lots between 6.0 – shall be comprised of a minimum of 60% of landscaped front or exterior side yard and scaping. (2) The lot frontage for lots 12.0 meters and be comprised of a minimum of 60% of landscaped front or exterior side yard and a minimum of 60% of landscaped front or exterior side yard and a minimum of 60% of landscaped front or exterior side yard and a minimum of 60% of landscaped front or exterior side yard and a minimum of 60% of landscenter for the exterior side yard and a minimum of 60% of landscaped front or exterior side yard and a minimum of 60% of landscenter for the exterior side yard and a minimum of 60% of landscenter for the exterior side yard and a minimum of 60% of landscenter for the exterior side yard and a minimum of 60% of landscenter for the exterior side yard and a minimum of 60% of landscenter for the exterior side yard and a minimum of 60% of landscenter for the exterior side yard and a minimum of 60% of landscenter for the exterior side yard and a minimum of 60% of landscenter for the exterior side yard and a minimum of 60% of landscenter for the exterior and the f(1.0) meter away from any street furnitur 	r only - 11.99 meters ddscaped front the minimum shall be soft caped front or the minimum shall be soft istance of one re or physical
ut fees are \$330.00 for the first 4 meters ling the driveway widening permit). dditional meter is \$40.00 . uts are usually performed within 2 weeks ng your payment. street is not assumed , the City of Vaughan quire a letter from your developer allowing us eed with the proposed curb cut. <i>sidents who widen their driveways without</i> <i>are subject to fines and reinstatement costs.</i> V 1-88 Extracts	 9.0 – 11.99 m (1) 6.00 m 9.0 – 11.99 m (1) 6.00 m driveway 12.0 m and greater (2) 9.00 m driveway (1) The lot frontage for lots between 6.0 – shall be comprised of a minimum of 33% lan or exterior side yard slandscaped front or exterior side yard slandscaping. (2) The lot frontage for lots 12.0 meters and be comprised of a minimum of 50% landscerie side yard and a minimum of 60% of landscaped front or exterior side yard slandscaped front slandscaped front or exterior side yard slandscaped front or exterior slandscaped front slandscap	r only - 11.99 meters ddscaped front the minimum shall be soft caped front or the minimum shall be soft istance of one re or physical o poles, light
dditional meter is \$40.00. uts are usually performed within 2 weeks ng your payment. •street is not assumed, the City of Vaughan quire a letter from your developer allowing us quire a letter from your developer allowing us idents who widen their driveways without are subject to fines and reinstatement costs. V 1-88 Extracts	 The lot frontage for lots between 6.0 – shall be comprised of a minimum of 33% lan or exterior side yard. A minimum of 60% of landscaped front or exterior side yard tandscaping. The lot frontage for lots 12.0 meters and (2) The lot frontage for lots 12.0 meters and be comprised of a minimum of 50% landscertion side yard and a minimum of 60% of landscaped front or exterior side yard flandscaping. Note (*): Curb cuts must be a minimum di (1.0) meter away from any street furnitur 	 11.99 meters ndscaped front the minimum shall be soft caped front or the minimum shall be soft istance of one re or physical
uts are usually performed within 2 weeks ng your payment. •street is not assumed, the City of Vaughan quire a letter from your developer allowing us ceed with the proposed curb cut. ceed with the proposed curb cut. <i>et a ubject to fines and reinstatement costs.</i> v 1-88 Extracts	or exterior side yard. A minimum of 60% of landscaped front or exterior side yard landscaping. (2) The lot frontage for lots 12.0 meters and be comprised of a minimum of 50% landsc exterior side yard and a minimum of 60% of landscaped front or exterior side yard landscaping. Note (*): Curb cuts must be a minimum di (1.0) meter away from any street furnitur	the minimum shall be soft caped front or the minimum shall be soft istance of one re or physical o poles, light
ng your payment. street is not assumed, the City of Vaughan quire a letter from your developer allowing us ceed with the proposed curb cut. <i>eed with the proposed curb cut.</i> <i>are subject to fines and reinstatement costs.</i> v 1-88 Extracts	landscaped front or exterior side yard slandscaping. (2) The lot frontage for lots 12.0 meters and be comprised of a minimum of 50% landsc exterior side yard and a minimum of 60% of landscaped front or exterior side yard andscaping. Note (*): Curb cuts must be a minimum di (1.0) meter away from any street furnitur	shall be soft d greater shall caped front or ithe minimum shall be soft istance of one re or physical o poles, light
street is not assumed, the City of Vaughan quire a letter from your developer allowing us seed with the proposed curb cut. sidents who widen their driveways without are subject to fines and reinstatement costs. V 1-88 Extracts	 landscaping. (2) The lot frontage for lots 12.0 meters and be comprised of a minimum of 50% landsc exterior side yard and a minimum of 60% of landscaped front or exterior side yard landscaping. Note (*): Curb cuts must be a minimum di (1.0) meter away from any street furnitur 	d greater shall caped front or the minimum shall be soft istance of one re or physical o poles, light
juire a letter from your developer allowing us ceed with the proposed curb cut. sidents who widen their driveways without are subject to fines and reinstatement costs. V 1-88 Extracts	 (2) The lot frontage for lots 12.0 meters and be comprised of a minimum of 50% landsc exterior side yard and a minimum of 60% of landscaped front or exterior side yard slandscaping. Note (*): Curb cuts must be a minimum di (1.0) meter away from any street furnitur 	d greater shall caped front or shall be soft istance of one re or physical o poles, light
sidents who widen their driveways without are subject to fines and reinstatement costs. v 1-88 Extracts	exterior side yard and a minimum of 60% of landscaped front or exterior side yard landscaping. Note (*): Curb cuts must be a minimum di (1.0) meter away from any street furnitur	the minimum shall be soft istance of one re or physical o poles, light
v 1-88 Extracts	Note (*): Curb cuts must be a minimum di (1.0) meter away from any street furnitur	istance of one re or physical p poles, light
	(1.0) meter away from any street furnitur	re or physical o poles, light
Driveway and curb cut widths are governed by the City of Vaughan Zoning By-law 1-88 as amended, which states the following:	objects such as telephone boxes, hydro poles, light standards, fire hydrants, water/service boxes, street catch basins, transformers, boulevard trees, lot lines, etc.	es, street catch les, etc.
Dimensions of Driveways	It is the responsibility of the applicant to arrange with the appropriate Utilities or City Department to have any	range with the to have any
The maximum width of a driveway, within the City	conflicting furniture or objects relocated, if possible. The	f possible. The
boulevard, shall be six (6.0) meters measured at	applicant will pay the full cost of relocations. Proposed	ons. Proposed
the street curb, provided circular driveways shall	turb curb cuts must be outside of daylight triangles. Daylight	ngles. Daylight
measured at the street curb. For lots zoned RR (Rural	meet. They will be indicated on legal surveys of the	urveys of the
Residential zone), circular driveways shall have a	property (they are for use of vehicle site lines when	te lines when
maximum combined width of fifteen (15.0) meters measured at the street curb.	approaching intersecting roads).	
Where there is no street curb, the maximum width of	By-Law 263-94 (amending Bylaw 1-88)	law 1-88)
the driveway shall be measured at a point 4.25 meters	4.15.5 Parking Space (243/97) (16/98)	(8)
street line.	Notwithstanding Section 2, Subsection 93, respecting	33, respecting
Driveways in either front or exterior side yards shall be constructed in accordance with the following	the definition of a parking space, a parking space located on a driveway on a lot not accessed by a lane, means, a	space located lane, means, a
requirements:	rectangular area measuring at least 2.7 meters by 5.8 meters.	meters by 5.8
Public Works Working for <u>YOU</u> !		
Where there is no street cu the driveway shall be mea: at the street line. Driveways in either front be constructed in accorr requirements: Ublic Works N	urb, the maximum width of sured at a point 4.25 meters or exterior side yards shall dance with the following dance with the following	